



















































































































































































































458. Foa EB, Rothbaum BO, Furr JM: Augmenting exposure therapy with other CBT procedures. *Psychiatr Ann* 2003; 33:47–53 [F]
459. Ross RJ, Ball WA, Dinges DE, Kribbs NB, Morrison AR, Silver SM, Mulvaney FD: Rapid eye movement sleep disturbance in posttraumatic stress disorder. *Biol Psychiatry* 1994; 35:195–202 [D]
460. Ross RJ, Ball WA, Sullivan KA, Caroff SN: Sleep disturbance as the hallmark of posttraumatic stress disorder. *Am J Psychiatry* 1989; 146:697–707 [G]
461. Pitman RK, Orr SP, Shalev AY, Metzger LJ, Mellman TA: Psychophysiological alterations in post-traumatic stress disorder. *Semin Clin Neuropsychiatry* 1999; 4:234–241 [G]
462. Rothbaum BO, Mellman TA: Dreams and exposure therapy in PTSD. *J Trauma Stress* 2001; 14:481–490 [F]
463. Foa EB, Riggs DS, Massie ED, Yarczower M: The impact of fear activation and anger on the efficacy of exposure treatment for posttraumatic stress disorder. *Behav Ther* 1995; 26:487–499 [C]

